

98 年 01 月南部科學工業園區高雄園區污水處理廠放流水質

| 日期    | Temp (°C) | pH  | SS (mg/L) | COD (mg/L) | BOD <sub>5</sub> (mg/L) |
|-------|-----------|-----|-----------|------------|-------------------------|
| 01/01 | 22.0      | 7.3 | 0.7       | 11.9       |                         |
| 01/02 | 21.0      | 7.3 | 1.0       | 7.1        |                         |
| 01/03 | 22.0      | 7.2 | 0.6       | 7.1        |                         |
| 01/04 | 22.0      | 7.2 | 1.0       | 6.3        |                         |
| 01/05 | 19.2      | 7.3 | 0.6       | 14.3       |                         |
| 01/06 | 19.7      | 7.4 | 1.0       | 12.2       | 3.4                     |
| 01/07 | 20.6      | 7.2 | 1.2       | 6.3        | 2.8                     |
| 01/08 | 20.4      | 7.3 | 1.2       | 7.4        | 2.3                     |
| 01/09 | 19.5      | 7.3 | 1.4       | 13.5       |                         |
| 01/10 | 16.8      | 7.5 | 0.8       | 12.1       |                         |
| 01/11 | 19.0      | 7.5 | 1.2       | 8.8        |                         |
| 01/12 | 19.7      | 7.6 | 1.8       | 8.0        |                         |
| 01/13 | 18.9      | 7.4 | 1.2       | 8.8        | 2.2                     |
| 01/14 | 18.0      | 7.3 | 0.8       | 7.6        | 1.7                     |
| 01/15 | 17.6      | 7.3 | 0.8       | 10.4       | 2.3                     |
| 01/16 | 17.3      | 7.1 | 1.4       | 11.2       |                         |
| 01/17 | 18.5      | 7.3 | 0.8       | 12.0       |                         |
| 01/18 | 17.2      | 7.4 | 0.6       | 11.9       |                         |
| 01/19 | 19.6      | 7.3 | 0.9       | 10.3       |                         |
| 01/20 | 20.7      | 7.5 | 1.4       | 11.1       | 2.5                     |
| 01/21 | 20.7      | 7.2 | 1.6       | 11.2       | 1.9                     |
| 01/22 | 20.8      | 7.2 | 1.0       | 4.8        | 1.5                     |
| 01/23 | 20.5      | 7.1 | 0.8       | 8.0        |                         |
| 01/24 | 20.4      | 7.2 | 0.8       | 5.6        |                         |
| 01/25 | 20.4      | 7.3 | 0.8       | 4.0        |                         |
| 01/26 | 20.1      | 7.3 | 1.8       | 4.0        |                         |
| 01/27 | 19.4      | 7.4 | 1.0       | 8.7        |                         |
| 01/28 | 18.8      | 7.4 | 0.8       | 8.9        |                         |
| 01/29 | 18.9      | 7.3 | 1.1       | 8.0        |                         |
| 01/30 | 20.0      | 7.6 | 0.8       | 8.9        |                         |
| 01/31 | 20.6      | 7.2 | 1.2       | 11.2       |                         |
| 平均    | 19.7      | 7.3 | 1.0       | 9.1        | 2.3                     |