

98 年 02 月南部科學工業園區高雄園區污水處理廠放流水質

| 日期    | Temp (°C) | pH  | SS (mg/L) | COD (mg/L) | BOD <sub>5</sub> (mg/L) |
|-------|-----------|-----|-----------|------------|-------------------------|
| 02/01 | 20.6      | 7.2 | 1.0       | 9.6        |                         |
| 02/02 | 22.6      | 7.4 | 0.6       | 12.7       |                         |
| 02/03 | 22.2      | 7.1 | 1.0       | 11.2       | 4.0                     |
| 02/04 | 22.4      | 7.1 | 1.8       | 15.8       | 4.4                     |
| 02/05 | 22.6      | 7.3 | 1.4       | 11.8       | 5.9                     |
| 02/06 | 23.3      | 7.3 | 1.2       | 7.9        |                         |
| 02/07 | 22.4      | 7.3 | 1.2       | 4.0        |                         |
| 02/08 | 22.6      | 7.3 | 0.9       | 4.0        |                         |
| 02/09 | 22.2      | 7.3 | 1.0       | 4.7        |                         |
| 02/10 | 22.4      | 7.3 | 2.1       | 8.7        | 5.7                     |
| 02/11 | 22.6      | 7.0 | 1.6       | 13.3       | 4.5                     |
| 02/12 | 24.5      | 7.2 | 0.8       | 7.1        | 2.4                     |
| 02/13 | 23.6      | 7.4 | 1.7       | 6.3        |                         |
| 02/14 | 26.1      | 7.3 | 1.2       | 10.9       |                         |
| 02/15 | 24.5      | 7.3 | 1.0       | 11.7       |                         |
| 02/16 | 22.5      | 6.7 | 1.5       | 9.4        |                         |
| 02/17 | 22.2      | 6.6 | 1.1       | 14.4       | 1.8                     |
| 02/18 | 22.9      | 7.2 | 1.0       | 11.2       | 1.6                     |
| 02/19 | 23.8      | 7.3 | 1.4       | 13.6       | 2.7                     |
| 02/20 | 23.4      | 7.3 | 1.5       | 14.4       |                         |
| 02/21 | 22.6      | 7.2 | 1.6       | 8.7        |                         |
| 02/22 | 23.5      | 7.3 | 1.2       | 7.1        |                         |
| 02/23 | 25.9      | 7.4 | 1.2       | 9.5        |                         |
| 02/24 | 25.2      | 7.4 | 0.8       | 16.7       | 2.6                     |
| 02/25 | 25.3      | 7.6 | 0.8       | 11.9       | 2.0                     |
| 02/26 | 25.2      | 7.6 | 0.9       | 12.7       | 2.8                     |
| 02/27 | 24.9      | 7.4 | 1.6       | 7.2        |                         |
| 02/28 | 24.6      | 7.4 | 1.6       | 11.1       |                         |
| 平均    | 23.5      | 7.3 | 1.2       | 10.3       | 3.4                     |